



ELECTRIC CELL

SPECIAL CONDITION OF TENDER No.7/3

(1)

- (a) Name of work:- Supply of Electric Material/Articles for Maintenance of Electrical works
- (b) Name of Contractor:-
- (c) Estimated Cost:- Rs. 4.85 Lacs.
- (d) Amount of Earnest Money @2% Rs.:- 9,700/-
- (e) Time and Date of Receipt : Time 2.00 P.M. Date 26-09-2017
- (f) Time and Date of Opening : Time 2.30 P.M. Date 27-09-2017
- (g) Site of work:- M.L.S.U.
- (h) Period of completion:- 12 Months
- (i) Rate of Cement:- To be arrange by the Contractor

- (2) Sealed tenders are invited on percentage basis/item rates for the above work from the registered contractors of various departments which will be received & opened by the COMPTROLLER & the Tender Committee at the time & date shown respectively at para 1 (e) & (f) in the presence of those contractors who wish to be present.
- (3) E.M. as shown in para 1(d) above shall be deposited in Cash/Bank draft payable to the undersigned at Udaipur. No tender will be considered without E.M. Outstation Drafts will not be accepted.
- (4) Rates/tender premium quoted should be inclusive of all taxes and charges. No extra payment will be made for any tax Duty/Royalty/or other charge.
- (5) For the item of the works shown in 'G' schedule which have a reference to the B.S.R. of Rajasthan P.W.D. (B & R) in force on the date of opening of the tender of the relevant circle of P.W.D. shall be considered correct and applicable in the case of any discrepancy.
- (6) The contractor shall bind himself/themselves to carry out quantity upto 50% excess of each item the quantity mentioned in the 'G'/'H' schedule & 20% total contract value at the rate quoted by him/them in this tender according to the site requirement.
- (7) The contractor shall bind himself/themselves to carry out extra item of the G-Schedule as per clause 12& 12 A of agreement and total quantum 20% of the total contract value at the rate quoted by him/them in the tender according to the site requirement.
- (8) Work shall be done as per P.W.D. (B&R) Rajasthan Standard Specifications which may have been in force from time to time and measurements will be done accordingly.
- (9) Decision of the Vice-Chancellor, M.L.S.U.in matters of dispute shall be conclusive binding & final.

- (10) Contractors are supposed to see the site conditions and quarries and no claim for any lead other than the included in the rates of various items of works shall be entertained by University. The rate as shown against various items are complete and final.
- (11) Work shall be completed in all respects within the period of completion shown in para 1(h) from the date of written order to commence the work.
- (12) For reasons beyond the control of the contractor, the University authorities may grant extension of the time for the time period as considered reasonable.
- (13) If the contractor fails to commence the work within a week of the receipt of the works order it shall rest, with the University to forfeit his earnest money.
- (14) Condition of any short except as provided in the printed form P.W.D. MF-54, amended upto date will be entertained. The condition in lieu with from P.W.D. MF-64, will be binding on the contractor.
- (15) Steel will not be supplied by the University.
- (16) Supply of cement, if available in the store, will be made at the rate shown in para 1(i) above.
- (17) The connection for water shall be obtained by the contractor from water works if the water is supplied by the University 1% of the gross amount of the bill will be recovered from all the bills.
- (18) The connection of electricity shall be obtained by the contractor from the AVVNL if electricity supplied by the University actual charges shall be recovered from all the bills.
- (19) Any conditional tender will be not excepted.
- (20) The offer shall remain valid for a period of Two months reckoned from the date of receipt of tender.
- (21) The tenders before submitting their terms and conditions (to executed the works must carefully go through the prescribed Contract Agreement) of the University successful tender shall be required to enter into an agreement with the University as per general conditions laid there in.
- (22) Contractors should sign on and put his seal each page of the tender document including terms and conditions incomplete tenders will be rejected.
- (23) The University reserves full rights to reject any or all tenders without assigning any reasons.
- (24) Disputes if any one subject of jurisdiction of the court at Udaipur only.
- (25) If there is any variations in general terms and conditions of the tender conditions of contract and special terms and conditions, then the provision in special terms and conditions shall prevail.
- (26) Annexure A to D Rajasthan transparency in Public procurement Act12 (see 7) Memorandum of Appeal are applicable.
- (27) Defect liabilities period as per P.W.D. Circular No. 980 dated 12-10-2012 (two years).

SIGNATURE OF CONTRACTOR

**COMPTROLLER
M.L.S.U. Udaipur**

**I/We accept the above conditions and beg to tender.....% Above/Below
on the 'G' Schedule and as per 'H' Schedule attached.**

SIGNATURE OF CONTRACTOR

**COMPTROLLER
M.L.S.U. Udaipur**

Name of work:- Supply of Electric Material/Articles for Maintenance of Electrical works.

Name of Contractor:-.....

‘H’ SCHEDULE (ITEM RATES)

S.No.	Particulars	Qty.	Unit	Rate Gr.I @	Amount
1	Ballast for FTL copper wound 36/40 watt. 220-240 volts CROMPTON/BAJAJ.	50	Nos.	Rs.....	Rs.....
2	Ballast copper wound VPIT for C.F.L. 9/11/13/18 watt., Make CROMPTON/BAJAJ.	15	Nos.	Rs.....	Rs.....
3	High Frequency Electronic Ballast 18/36 watt. for FTL Make CROMPTON/BAJAJ.	30	Nos.	Rs.....	Rs.....
4	Ballast for Mercury vapour lamp copper wound 125 watt. CROMPTON/BAJAJ.	2	Nos.	Rs.....	Rs.....
5	Ballast for Sodium vapour lamp copper wound 250 watt. CROMPTON/BAJAJ.	6	Nos.	Rs.....	Rs.....
6	---do--- 150 watt. CROMPTON/BAJAJ.	8	Nos.	Rs.....	Rs.....
7do.... 70 watt. CROMPTON/BAJAJ.	10	Nos.	Rs.....	Rs.....
8	Strip type Fluorescent tube light fixture 1x40 watt. complete with all accessories including V.P.I.T. copper ballast with tube rod Make PHILIPS/BAJAJ/CROMPTON	40	Nos.	Rs.....	Rs.....
9	Strip type Fluorescent tube light fixture 1x40 watt. complete with all accessories including tube rod with EB Make PHILIPS/BAJAJ/CROMPTON	20	Nos.	Rs.....	Rs.....
10	Electric lamp (Bulb) 220-240 V., A.C. make CROMPTON/BAJAJ. 100 watts.	25	Nos.	Rs.....	Rs.....

11	--do-- 60 watts.	10	Nos.	Rs.....	Rs.....
12	Mercury vapour lamps 125 watts. make CROMPTON/ BAJAJ/ PHILIPS.	2	Nos.	Rs.....	Rs.....
13	Sodium vapour lamps 250 watts. make CROMPTON/ BAJAJ/ PHILIPS.	8	Nos.	Rs.....	Rs.....
14	Sodium vapour lamps 150 watts. make CROMPTON/ BAJAJ/ PHILIPS.	8	Nos.	Rs.....	Rs.....
15	Sodium vapour lamps 70 watts. make CROMPTON/ BAJAJ/ PHILIPS.	12	Nos.	Rs.....	Rs.....
16	Energy efficient direct fit (Retrofit)composite compact fluorescent lamp of energy saving labelling not less then 3 star in existing holder/ fixture as required CROMPTON/ BAJAJ/ PHILIPS. 5 watt	5	Nos.	Rs.....	Rs.....
17do.... 11 watts.	10	Nos.	Rs.....	Rs.....
18do.... 18/20 watts.	20	Nos.	Rs.....	Rs.....
19do.... 25 watts.	5	Nos.	Rs.....	Rs.....
20do.... 85 watts.	5	Nos.	Rs.....	Rs.....
21	Two Pin Energy efficient compact flourescent lamp in holder/ fixtures 9 watt. make CROMPTON / BAJAJ/ PHILIPS.	5	Nos.	Rs.....	Rs.....
22do.... 11 watts.	5	Nos.	Rs.....	Rs.....

23	Four Pin Energy efficient compact flourescent lamp in holder/ fixtures PL 36 watt. CFL make CROMPTON / BAJAJ/ PHILIPS.	5	Nos.	Rs.....	Rs.....
24	Flourescent Tube Rod 36/40 watt.make CROMPTON / BAJAJ/ PHILIPS.	250	Nos.	Rs.....	Rs.....
25	6 Amp. Flush Type Switch make Group-1	200	Nos.	Rs.....	Rs.....
26	16 Amp. Flush Type Switch make Group-1	20	Nos.	Rs.....	Rs.....
27	Bell push Box type Group-1	10	Nos.	Rs.....	Rs.....
28	Bell push flush type pendant Group-1	10	Nos.	Rs.....	Rs.....
29	Twin control flush type switch Group-1	10	Nos.	Rs.....	Rs.....
30	3 Pin 6 Amp. Flush type socket Group-1	60	Nos.	Rs.....	Rs.....
31	3/6 Pin 16 Amp. Flush type socket Group-1	20	Nos.	Rs.....	Rs.....
32	Flush type switch socket combined 16 Amp. Group-1	40	Nos.	Rs.....	Rs.....
33	6 Amp. Surface type ceiling rose Group-1	30	Nos.	Rs.....	Rs.....
34	6 Amp. Bakelite Batten/Angle Holder Group-1	40	Nos.	Rs.....	Rs.....
35	6 Amp. Bakelite unbreakable 3 Pin Plug Top Group-1	20	Nos.	Rs.....	Rs.....
36	16 Amp. Bakelite unbreakable 3 Pin Plug Top Group-1	20	Nos.	Rs.....	Rs.....

37	Fan regulator socket size 120/ 280 watt. Five Step Group-1	30	Nos.	Rs.....	Rs.....
38	32 Amp. D.P. Switch Group-1	10	Nos.	Rs.....	Rs.....
39	Flush/Surface type Buzzer Group-1	10	Nos.	Rs.....	Rs.....
40	Single Tone Electric Call Bell Group-1	5	Nos.	Rs.....	Rs.....
41	Ding Dong/Musical Chime Bell Group-1	10	Nos.	Rs.....	Rs.....
42	Starter for Flourescent Tube light Group-1	100	Nos.	Rs.....	Rs.....
43	Capacitor 2.5 MFD for FTL 240 Volt Group-1	50	Nos.	Rs.....	Rs.....
44	Capacitor 4 MFD for FTL 240 Volt Group-1	20	Nos.	Rs.....	Rs.....
45	P.V.C. insulated flexible copper conductor (1.00 Sq.mm) coil make POLYCAB, KEI, RR Cables length 91.44m .	4	Coil	Rs.....	Rs.....
46	P.V.C. insulated flexible copper conductor (1.5 Sq.mm) coil make POLYCAB, KEI, RR Cables length 91.44m .	4	Coil	Rs.....	Rs.....
47	P.V.C. insulated flexible copper conductor (2.5 Sq.mm) coil make POLYCAB, KEI, RR Cables length 91.44m .	3	Coil	Rs.....	Rs.....
48	P.V.C. insulated flexible copper conductor (4.0 Sq.mm) coil make POLYCAB, KEI, RR Cables length 91.44m .	2	Coil	Rs.....	Rs.....

49	P.V.C. insulated flexible copper conductor (6.0 Sq.mm) coil make POLYCAB, KEI, RR Cables length 91.44m .	2	Coil	Rs.....	Rs.....
50	P.V.C. insulated wire 40/76 with flexible copper conductor twin twisted 91.44 meters length coil KEI/ANCHOR/HAVELL'S/ POLYCAB make.	2	Coil	Rs.....	Rs.....
51	P.V.C. insulated wire 23/76 with flexible copper conductor twin twisted 91.44 meters length coil KEI/ANCHOR/HAVELL'S/ POLYCAB make.	2	Coil	Rs.....	Rs.....
52	P.V.C. insulated flat twin core sheathed solid aluminium conductor 4.0 sq.mm. ISI marked	3	Coil	Rs.....	Rs.....
53	P.V.C. insulated flat twin core sheathed solid aluminium conductor 6.0 sq.mm. ISI marked	2	Coil	Rs.....	Rs.....
54	P.V.C. insulated flat twin core sheathed solid aluminium conductor 10.0 sq.mm. ISI marked	2	Coil	Rs.....	Rs.....
55	P.V.C. insulated Submersible Cable 2.5 sq.mm 3 core flat with flexible copper conductor make FINOLEX/ RR CABLE/POLYCAB/ HAVELLS	100	Mtr.	Rs.....	Rs.....
56	P.V.C. insulated Submersible Cable 4.0 sq.mm 3 core flat with flexible copper conductor make FINOLEX/ RR CABLE/ POLYCAB/ HAVELLS	100	Mtr.	Rs.....	Rs.....
57	Electronic Ignitor for Sodium vapour lamp make CG/BAJAJ	20	Nos.	Rs.....	Rs.....
58	M.C.B. 6-32 amp. 250/440 V., A.C. of single pole make HAVELL'S/ ABB/L&T/SIEMENS	50	Nos.	Rs.....	Rs.....
59	M.C.B. 6-32 amp. 250/440 V., A.C. of Double pole make HAVELL'S/ ABB/L&T/SIEMENS	10	Nos.	Rs.....	Rs.....

60	M.C.B. 40-63 amp. 250/440 V., A.C. of Double pole make HAVELL'S/ ABB/L&T/SIEMENS	10	Nos.	Rs.....	Rs.....
61	M.C.B. 40-63 amp. 250/440 V., A.C. of Four pole make HAVELL'S/ ABB/L&T/SIEMENS	10	Nos.	Rs.....	Rs.....
62	Isolator Double Pole 30/40 A., 240/415 V. make HAVELL'S/ ABB/L&T/SIEMENS	20	Nos.	Rs.....	Rs.....
63	Isolator Four Pole 63 A., 240/415 V. make HAVELL'S/ ABB/ L&T/ SIEMENS	10	Nos.	Rs.....	Rs.....
64	Isolator Four Pole 100 A., 240/415 V. make HAVELL'S/ ABB/ L&T/ SIEMENS	10	Nos.	Rs.....	Rs.....
65	White Sunmica Top Wooden Board well finished size 4"x4" I.S.I. Marked	30	Nos.	Rs.....	Rs.....
66	White Sunmica Top Wooden Board well finished size 7"x4" I.S.I. Marked	30	Nos.	Rs.....	Rs.....
67	White Sunmica Top Wooden Board well finished size 8"x10" I.S.I. Marked	20	Nos.	Rs.....	Rs.....
68	White Sunmica Top Wooden Board well finished size 12"x15" I.S.I. Marked	10	Nos.	Rs.....	Rs.....
69	Porcelain Kit kat fuse complete 240/415 V A.C. 100 Amp. Make L&T/ABB/ HAVELLS	6	Nos.	Rs.....	Rs.....
70	Porcelain Kit kat fuse complete 240/415 V A.C. 200 Amp. Make L&T/ABB/ HAVELLS	6	Nos.	Rs.....	Rs.....
71	Bakelite fuse base for HBC Fuse link 200 Amp. I.S.I. Make.	6	Nos.	Rs.....	Rs.....
72	HBC Fuse link 125 Amp. Make L&T/ABB/ HAVELLS	12	Nos.	Rs.....	Rs.....
73	HBC Fuse link 250 Amp. Make L&T/ABB/ HAVELLS	6	Nos.	Rs.....	Rs.....

74	Heavy duty copper lugs (pin/ring type) 6.0 sq.mm.	20	Nos.	Rs.....	Rs.....
75	Heavy duty copper lugs (pin/ring type) 16.0 sq.mm.	20	Nos.	Rs.....	Rs.....
76	Heavy duty copper lugs (pin/ring type) 35.0 sq.mm.	20	Nos.	Rs.....	Rs.....
77	Heavy duty copper lugs (pin/ring type) 50.0 sq.mm.	20	Nos.	Rs.....	Rs.....
78	Heavy duty copper lugs (pin/ring type) 70.0 sq.mm.	20	Nos.	Rs.....	Rs.....
79	Heavy duty copper lugs (pin/ring type) 95.0 sq.mm.	15	Nos.	Rs.....	Rs.....
80	Heavy duty copper lugs (pin/ring type) 120.0 sq.mm.	15	Nos.	Rs.....	Rs.....
81	Busbar Chamber Housed in sheet metal box made from 2mm thick sheet front openable, busbar made of copper suitable for 100 amp. Capacity. Busbar fixed on porcelain insulator as reqd. 450mm long 4 strip	2	Nos.	Rs.....	Rs.....
82	Busbar Chamber Housed in sheet metal box made from 2mm thick sheet front openable, busbar made of copper suitable for 200 amp. Capacity. Busbar fixed on porcelain insulator as reqd. 450mm long 4 strip	2	Nos.	Rs.....	Rs.....
83	Copper Busbar including making holes as reqd. 25x5mm	10	Mtr.	Rs.....	Rs.....
84	Supply of Electric Mono Block Single Phase Pump Set 0.5 H.P. 25mm Section & Delivery Self Priming make CROMPTON / KIRLOSKER/ TEXMO/ VARUNA/ LUBI.	3	Nos.	Rs.....	Rs.....

85	STAR RATED Ceiling fan double ball bearing aluminium body and blade 1200mm with accessories like Suspension System, Canopy, cotter pins etc. without regulator complete make CROMPTON / ORIENT / BAJAJ/ HAVELLS (Three Star)	20	Nos.	Rs.....	Rs.....
86	Fresh Air Fan capacitor start double ball bearing metal blade and single phase 300 sweep make CROMPTON / ORIENT / USHA / HAVELLS	2	Nos.	Rs.....	Rs.....
87	Wall mounting fan capacitor start double ball bearing metal blade three speed complete 400mm sweep make CROMPTON / ORIENT / USHA/ HAVELLS	2	Nos.	Rs.....	Rs.....
88	Phenolic Sheet resin bonded laminates with bakelite base size 3.0mm thick make ISI marked.	2	Sqm.	Rs.....	Rs.....
89	Phenolic Sheet resin bonded laminates with bakelite base size 6.4mm thick make ISI marked.	2	Sqm.	Rs.....	Rs.....
90	Phenolic Sheet resin bonded laminates with bakelite base size 2.0mm thick 8"x10" make ISI marked.	10	Nos.	Rs.....	Rs.....
91	Metal clad industrial plug and socket unit with pin and sleeve type contact on porcelain/bakelite base in sheet steel enclosure (without MCB) single/double pole 32 Amp. (three pin)/ A.C. Box make L&T/ HAVELLS/ C &S/ SIEMENS	5	Nos.	Rs.....	Rs.....

92	Surface/Recessed mounting heavy duty horizontal type sheet steel distribution board powder painted complete with suitable rating copper bus bar and links single phase double door 8 way make L&T/ ABB/ HAVELLS/ SIEMENS	2	Nos.	Rs.....	Rs.....
93	Surface/Recessed mounting heavy duty horizontal type sheet steel distribution board powder painted complete with suitable rating copper bus bar and links three phase double door 6 way make L&T/ ABB/ HAVELLS/ SIEMENS	2	Nos.	Rs.....	Rs.....
94	Quick make and break 4 Pole current limiting MCCB with thermal magnatic release upto 100 amp. 25 kA adjustable O/L & fixed S/C setting make L&T/Legrand/ABB/ Siemens	2	Nos.	Rs.....	Rs.....
95	Quick make and break 4 Pole current limiting MCCB with thermal magnatic release upto 125 amp. 25 kA adjustable O/L & fixed S/C setting make L&T/Legrand/ABB/ Siemens	2	Nos.	Rs.....	Rs.....
96	LED surface/recessed mounted, Round/Square Non Dimmable down light with driver complete fixture as 10 watt. Make K-Lite/BAJAJ/ SURYA/HAVELLS/ PHILIPS	5	Nos.	Rs.....	Rs.....
97	LED surface/recessed mounted, Round/Square Non Dimmable down light with driver complete fixture as 15 watt. Make K-Lite/BAJAJ/ SURYA/HAVELLS/ PHILIPS	10	Nos.	Rs.....	Rs.....

98	LED surface/recessed mounted, Round/Square Non Dimmable down light with driver complete fixture as 20 watt. Make K-Lite/BAJAJ/SURYA/HAVELLS/ PHILIPS	5	Nos.	Rs.....	Rs.....
99	Protected high power LED Flood light with aluminium housing toughened glass defuser integrated driver 30 watt. Make CG/ K LITE/ BAJAJ/ SURYA/ HAVELLS	2	Nos.	Rs.....	Rs.....
100	Protected high power LED Flood light with aluminium housing toughened glass diffuser integrated driver 50 watt. Make CG/ K LITE/ BAJAJ/ SURYA/ HAVELLS	2	Nos.	Rs.....	Rs.....
101	Protected LED Street light luminaire with complete fixtures aluminium housing with heat sink diffuser glass cover integrated driver 40 watt. Make CG/ K LITE/ BAJAJ/ SURYA/ HAVELLS	2	Nos.	Rs.....	Rs.....
102	Protected LED Street light luminaire with complete fixtures aluminium housing with heat sink diffuser glass cover integrated driver 50 watt. Make CG/ K LITE/ BAJAJ/ SURYA/ HAVELLS	2	Nos.	Rs.....	Rs.....
103	Protected LED Street light luminaire with complete fixtures aluminium housing with heat sink diffuser glass cover integrated driver 80 watt. Make CG/ K LITE/ BAJAJ/ SURYA/ HAVELLS	3	Nos.	Rs.....	Rs.....
104	Twin ceramic cartridge shock and hard water proof heating element 2 K.W. make VENUS/BAJAJ/ RACOLD	5	Nos.	Rs.....	Rs.....

105	PVC Casing Caping 20mmx12mm make POLYCAB/DAUPHIN/ PRECISION	50	Mtr.	Rs.....	Rs.....
106	PVC Casing Caping 25mmx12mm make POLYCAB/DAUPHIN/ PRECISION	50	Mtr.	Rs.....	Rs.....
107	PVC Conduit 20mm make POLYCAB/DAUPHIN/ PRECISION	50	Mtr.	Rs.....	Rs.....
108	PVC Conduit 25mm make POLYCAB/ DAUPHIN/ PRECISION	50	Mtr.	Rs.....	Rs.....
109	PVC Conduit 32mm make POLYCAB/DAUPHIN/ PRECISION	50	Mtr.	Rs.....	Rs.....
110	45 Watt. CFL Fixtures complete. Make CROMPTON, BAJAJ	4	Nos.	Rs.....	Rs.....
111	LED 4 Ft. 18 Watt. Batten type Tube Light Fixtures. Make CROMPTON/ BAJAJ/ HAVELLS	10	Nos.	Rs.....	Rs.....
112	XLPE/PVC insulated sheathed aluminium cable 1.1 KV, 16 sq.mm. 4 core armoured.	20	Mtr.	Rs.....	Rs.....
113	XLPE/PVC insulated sheathed aluminium cable 1.1 KV, 25 sq.mm. 4 core armoured.	20	Mtr.	Rs.....	Rs.....
114	XLPE/PVC insulated sheathed aluminium cable 1.1 KV, 35 sq.mm. 3.5 core armoured.	20	Mtr.	Rs.....	Rs.....
115	XLPE/PVC insulated sheathed aluminium cable 1.1 KV, 50 sq.mm. 3.5 core armoured.	20	Mtr.	Rs.....	Rs.....
116	Fan Motor suitable for 20" Desert Cooler make CG/KHAITAN/ COOL HOME	2	Nos.	Rs.....	Rs.....
				Total:	Rs.....

CONDITIONS: -

1. The rate should be quoted inclusive all taxes.
2. The rates should be quoted /F.O.R. Estate Office Store.
3. The party shall supply the material immediately from ready stock when ordered.

4. If supplier fail to supply action will be taken as per G.F. & A.R.
5. Above material is required for day to day maintenance, Hence The order will be placed to the party in parts as & when need arises.
6. The rates should be quoted only for the specifications mentioned in the “H” Schedule otherwise the same will not be considered. Material should be ISI Marked.
7. Only those Firms/Suppliers should quote/bid who possess the GST registration. The bids of other firms will not be considered.
8. The items as specified shall have to be supplied.
9. The quantities of Items may be increased or decreased as per requirement.
10. The Supplier should execute an agreement on Non-Judicial Stamp paper as per rules.
11. T.D.S., VAT will be deducted as per rules.

COMPROLLER

I/We beg to tender as per Item Rates quoted on the “H”Schedule and as per above conditions.

Signature of contractor

Name of contactor:.....

Address:.....
.....
.....

Phone No. (O).....
(R).....

COMPROLLER